

# VEVOR

**Upgrade · The Home Creator Way**

## **Roof Cargo Box**

**MODEL: WP3005/WP3020/WP3001/WP3027**

**VEVOR Support Center**



WP3020



WP3001




WP3027



WP3005



**MODEL: WP3005/WP3020/WP3001/WP3027/WP3023**



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

## INTRODUCTION

### **WARNING:**

Warning-To reduce the risk of injury, user must read instructions manual carefully. The product complies with relevant standards and regulations. Installation of this device must comply with all applicable regulations, and it should only be operated in well-ventilated areas. Please read the user manual before installing and using this equipment.

This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

Children shall not play with the appliance.

Please properly keep product. Check whether the product is abnormal before use. If it is abnormal, please stop using it.

Please use the product according to the intended use, warn of potential injury from misuse.

Installation Restrictions:During the installation process, it is strictly prohibited to strike or twist the product. Otherwise, this may cause the product to crack and the installation position to deform, adversely affecting the vehicle's appearance and safety performance.

Pre-Installation Requirement:To avoid injury, ensure the vehicle is turned off throughout the entire installation process.

Instruction Compliance:Please follow the installation instructions suitable for your specific vehicle model during installation. Incorrect installation may prevent the product from functioning as a protective device, endangering the lives and safety of the driver and passengers.

Product Validity Note:Product functionality is only guaranteed for properly and fully assembled units.

General Notice:Read these instructions carefully and retain them for future reference.

Safety Precautions:When using the product, basic safety precautions should always be followed to reduce the risk of injury, including the following:

a.A competent adult must assemble the product.

- b.Keep children and pets away during assembly; do not allow children to climb on or play with the product.
- c.Wear protective gloves when installing the product.
- d.Do not use the product if any parts are missing, damaged, or abraded.
- e.Do not over-tighten the fasteners (hardware).
- f.Regularly inspect the product for wear and tear; replace it immediately if damage is detected or parts become detached.

#### Electrical Safety Warning

Before installation, ensure the vehicle's power supply is turned off to avoid the risk of electrical short circuits. Failure to comply with this instruction may result in vehicle damage or personal injury.

### **PLEASE READ AND UNDERSTAND ALL DETAILS BEFORE ASSEMBLY AND USE OF THE ROOF CARGO BOX.**

1. It is not recommended to install and disassemble repeatedly after installing the Roof Cargo Box.Please check regularly whether all bolts and nuts are locked. After driving 50 kilometers, you need to get out of the car to check the firmness of the equipment.
2. When installing the luggage compartment of the vehicle, be careful not to have the situation shown in the above picture.
3. Not for use by children.
4. Do not modify this product by yourself.

**Save the instructions.**

## PRODUCT PAREMETERS

| Model         | Colour | Cargo Volume | Weight Limit | Item Weight |
|---------------|--------|--------------|--------------|-------------|
| <b>WP3005</b> | Black  | 8 cu.ft      | 165          | 26 lbs      |
| <b>WP3020</b> | Black  | 11 cu.ft     | 165          | 33 lbs      |
| <b>WP3001</b> | Black  | 14 cu.ft     | 165          | 34 lbs      |
| <b>WP3027</b> | Black  | 18 cu.ft     | 165          | 44 lbs      |

## PART LIST

When unpacking this product, ensure the parts listed below are included and carefully inspect for any damage that may have occurred during transit. Do not attempt to assemble or use the product if any part is missing or damaged.

| NO                                                                                 | PICTURE                                                                             | PART NAME      | QTY |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------|-----|
| ①                                                                                  |    | Cargo Box      | 1   |
| ②                                                                                  |    | U-shaped screw | 4   |
| ③                                                                                  |    | Nut            | 8   |
| ④                                                                                  |    | Cushion        | 4   |
| ⑤                                                                                  |    | Strap          | 2   |
| ⑥                                                                                  |    | Strap Fixer    | 4   |
| ⑦                                                                                  |   | Key            | 2   |
| ⑧                                                                                  |  | Seal           | 2/4 |
| <b>Note:</b> The quantity of seal:WP3005/WP3020/WP3001 is 2 pcs \ WP3027 is 4 pcs. |                                                                                     |                |     |

## INSTALLATION METHODS

### **WARNING:**Installation Precautions:




Roof Cargo Box front high and low rear/low front and high rear.



The front and rear positions of the Roof Cargo Box are reversed.


#### **Step 1:**

Two people work together to put the suitcase lightly on the roof of the car, adjust the position of the cross bar according to the hole position at the bottom of the suitcase, and adjust it to a suitable position.




#### **Step 2:**

Open the suitcase, and hook the 4 U-shaped screws on the bottom of the cross bar to connect the suitcase.




**Step 3:**


On the protruding U-shaped screws inside the suitcase, put each buffer pad and strap fixing parts in turn (the strap fixing holes face inward).


**Step 4:**

Use 8 nuts to lock the U-shaped screws in turn, and the nuts and screws on both sides must be kept in balance.


**Step 5:**

Stick the seal on the inside of the suitcase to the hole at the bottom for sealing and waterproofing.





**Lateral fixation**



**Cross fixation**



**Longitudinal fixation**

### **Step 6:**

1. The straps should be passed from bottom to top to secure the luggage.
2. To fasten the baggage, press the baggage and pull the strap end outward.
3. Each strap should pass through the corresponding two fasteners.

